

Date : 13-May-2024 Page : 1 of 4

TEST REPORT

APPLICANT : JINHUA SHINETREE HOUSEHOLD PRODUCTS CO.,LTD

ADDRESS : F3,1st Building, No.791 DongGang North Road, Jindong

District, JinHua City, Zhejiang Province, China, PostCode:

321037

SAMPLE DESCRIPTION : PP telescopic stool

<u>ITEM NO.</u> : XC1401, XC1402, XC1403, XC1404, XC1405, XC1410

SAMPLE RECEIVED DATE : 06-May-2024

TURN AROUND TIME : 06-May-2024 to 13-May-2024

The following test item(s) was/were performed on submitted sample(s) and/or component(s) confirmed by applicant

TEST REQUESTED	RESULT
EN 581-2:2015+AC:2016 Outdoor furniture – Seating and tables for camping, domestic and contract use Part 2: Mechanical safety requirements and test methods for seating	Pass
EN 581-1:2017 Outdoor furniture - Seating and tables for camping, domestic and contract use Part 1: General safety requirements	Pass

Signed for and on behalf of

Eurofins MTS Consumer Product Testing (Shanghai) Co., Ltd.

Chen Lin, Rain Deputy Regional Director Hardlines Division


Samples are obtained by express delivery, Results obtained refer only to samples, products or material received in Laboratory, as described in point related to sample description, and tested in conditions shown in present report. Eurofins MTS Consumer Product Testing (Shanghai) Co., Ltd ensures that this job has been performed according to our Quality System and complying contract and legal conditions. If you happen to have any comments, please do it by sending email to info.sh@cpt.eurofinscn.com and referring to this report number. Reproduction of this document is only valid if it is done completely and under the written permission of Eurofins MTS Consumer Product Testing (Shanghai) Co., Ltd. If you happen to have any complaints, please do it by sending email to info.sh@cpt.eurofinscn.com and referring to this report number.





Date : 13-May-2024 Page : 2 of 4

SAMPLE PHOTO(S)



EFW524050562-CG-01



Date : 11-May-2024 Page : 3 of 4

TEST RESULT

EN 581-2:2015+AC:2016 Outdoor furniture – Seating and tables for camping, domestic and contract use

Part 2: Mechanical safety requirements and test methods for seating

Description of sample: Folding stool

Overall dimension (D x W x H) (cm): Ø26cmx45cmH

Ambient Condition: Temperature: 15-27°C; Humidity: 35-65%

Test Sample: A
Test Result: Pass

Clause	<u>Test Items</u>	Result
EN 1728:2012, 4.1	Preliminary preparation	
	Defect observed before testing	
6	Safety, strength and durability requirements for loungers	NA
7	Safety, strength and durability requirements for other seating	
7.1	General (EN 581-1)	
7.2	Stability, strength and durability	
EN 1728:2012, 6.4	Seat static load and back static load test	Pass
EN 1728:2012, 6.5	Seat front edge static load test	Pass
EN 1728:2012, 6.17	Combined Seat and back durability test	Pass
EN 1728:2012, 6.19	Durability test on seating with a multi-	NA
	position back rest	
EN 1728:2012, 6.11	Arm rest static load test	NA
EN 1728:2012, 6.20	Arm rest durability test	NA
EN 1728:2012, 6.15	Leg forward static load test	Pass
EN 1728:2012, 6.16	Leg sideways static load test	Pass
EN 1728:2012, 6.24	Seat impact test	Pass
EN 1728:2012, 6.8	Foot rest static test	NA
EN 1022:2005	Forward stability test	
EN 1022:2005	Rearward stability test	NA
EN 1022:2005	Sideways stability test	NA
8	Information for use	
8.1	General	NR
8.2	Marking for loungers	NA

Remark: 1. The sample(s) intend for domestic use and lab test with domestic level.

2. The submitted sample(s) was not stored in indoor ambient conditions for 24hours prior to testing.



Date : 11-May-2024

Page: 4 of 4

TEST RESULT

- 3. No defect was observed as received.
- 4. NA means Not Applicable.
- 5. Detail results of EN 581-1:2017:

<u>Clause</u>	<u>Test Items</u>	Result
5.1	General	Pass
5.2	Tubular components	Pass
5.3	Shear and squeeze points	
5.3.1	Shear and squeeze points when erecting, adjusting and folding away	Pass
5.3.2	Shear and squeeze points under the influence of powered mechanisms	Pass
5.3.3	Shear and squeeze points during use	Pass

- 6. NR means Not request.
- 7.NA means not applicable
- 8. Overall dimension: Ø26cmx45cmH